

**MATERIAL SAFETY DATA SHEET**

FILE NUMBER: NATURE'S EDGE  
 MSDS REVISION DATE: January 2011

**SECTION I: PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME: <b>NATURE'S EDGE™ WOOD FINISH</b>	EMERGENCY PHONE: <b>775-782-8750</b>
MANUFACTURER: <b>Timber Edge Products, LLC.</b>	INFORMATION PHONE: <b>775-782-8750</b>
ADDRESS: <b>2222 Park Place, Building 2-A</b>	DATE REVISED: <b>07-01-2007</b>
<b>Minden, NV 89423</b>	PREPARED BY: <b>P. Ritger</b>
PRODUCT USE: <b>Penetrating wood stain and preservative for interior and exterior use.</b>	
SECTION I NOTES: <b>This MSDS applies to all colors of NATURE'S EDGE Wood Finish.</b>	

**SECTION II - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION**

HAZARDOUS COMPONENT (Specific Chemical Identity; Common Names)	CAS Number	OSHA PEL	ACGIH TLV	Other Limits Recommended	Wt. %
<b>Propylene Glycol</b>	<b>57-56-6</b>	<b>Not Est.</b>	<b>Not Est.</b>	<b>N/A</b>	<b>&lt; 1%</b>
<b>Glycol Ether</b>	<b>34590-94-8</b>	<b>150 ppm</b>	<b>150 ppm</b>	<b>N/A</b>	<b>&lt; 1%</b>
SECTION II NOTES: <b>N/A</b>					

**SECTION III: PHYSICAL/CHEMICAL CHARACTERISTICS**

Specific Gravity (H <sub>2</sub> O = 1):	<b>1.02</b>
Percent Volatile by Weight:	<b>79-81% (&gt;98% of volatiles are water)</b>
Boiling Point:	<b>212 °F; ~ that of water</b>
Vapor Pressure (mm Hg):	<b>N/A; ~ that of water</b>
Vapor Density (Air = 1):	<b>&gt; 1</b>
Evaporation Rate (Butyl Acetate = 1):	<b>&lt; 1; ~ that of water</b>
Solubility in Water:	<b>100% soluble in water</b>
Appearance and Odor:	<b>Milky white liquid, mild odor</b>
VOC:	<b>95 grams / liter</b>
SECTION III NOTES: <b>N/A</b>	

**MATERIAL SAFETY DATA SHEET**

**FILE NUMBER: NATURE'S EDGE**  
**MSDS REVISION DATE: January 2011**

**SECTION IV: FIRE AND EXPLOSION HAZARD DATA**

Flash Point (Method Used)	Flammable Limits	LEL	UEL
<b>N/A</b>	<b>N/A</b>		
Extinguishing Media	<b>Use carbon dioxide, foam, dry chemical or water fog.</b>		
Special Fire Fighting Procedures	<b>Wear self-contained breathing apparatus; water may be used to cool containers exposed to heat.</b>		
Unusual Fire and Explosion Hazards	<b>Pressure may build up in closed containers exposed to heat.</b>		
SECTION IV NOTES: <b>Non-combustible liquid</b>			

**SECTION V: REACTIVITY DATA**

Stability:	<b>Stable</b>
Incompatibility (Materials to Avoid):	<b>None Known</b>
Hazardous Decomposition or Byproducts:	<b>None Known</b>
Hazardous Polymerization:	<b>Will Not Occur</b>
Conditions to Avoid:	<b>Freezing conditions (&lt; 32°F, 0°C)</b>
SECTION V NOTES: <b>N/A</b>	

**SECTION VI: HEALTH HAZARD DATA**

Route(s) of Entry:	<b>Inhalation, ingestion and skin contact (unbroken)</b>		
Health Hazards (Acute and Chronic):	<b>None Known</b>		
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
	<b>NO</b>	<b>NO</b>	<b>NO</b>
Signs and Symptoms of Exposure:	<b>May cause slight irritation or redness of the eyes, nose or throat from contact with these tissues.</b>		
Medical Condition(s) generally aggravated by Exposure:	<b>None Known</b>		
Emergency and First Aid Procedures:			
Eye Contact:	<b>Rinse thoroughly with fresh water for minimum of 15 minutes; seek medical attention.</b>		
Inhalation:	<b>Move to a source of fresh air; if respiratory condition persists seek medical attention.</b>		
Ingestion:	<b>Administer 2 glasses of water or milk to dilute concentration; immediately seek medical attention.</b>		
Skin Contact (unbroken):	<b>Wash with soap and water. Remove contaminated clothing. Seek medical attention if irritation develops.</b>		
SECTION VI NOTES: <b>Material is not absorbed via unbroken skin and is not a known skin irritant.</b>			

# MATERIAL SAFETY DATA SHEET

FILE NUMBER: NATURE'S EDGE  
MSDS REVISION DATE: January 2011



## SECTION VII: SAFE HANDLING AND STORAGE

Steps to be taken in case material is released or spilled:	<b>Contain spill; wipe or scrape up and dispose. Do not allow material or washings to enter natural waterways.</b>
Waste Disposal Method:	<b>Material is not an RCRA Hazardous Waste. Dispose in a sanitary landfill once material has completely dried or in accordance with local, state and federal regulations.</b>
Precautions to be taken in Handling and Storage:	<b>Keep material from freezing.</b>
Other Precautions:	<b>Keep out of reach of children.</b>
SECTION VII NOTES: <b>N/A</b>	

## SECTION VIII: EXPOSURE CONTROLS/PERSONAL PROTECTION

VENTILATION :	<b>Local exhaust, general; Always use maximum ventilation possible.</b>
RESPIRATORY PROTECTION:	<b>None normally needed; used NIOSH approved organic vapor respirator if TLV of any component is exceeded.</b>
EYE PROTECTION:	<b>Use of goggles or safety glasses is advised.</b>
SKIN PROTECTION:	<b>Protective gloves not required with normal use.</b>
OTHER PROTECTIVE CLOTHING OR EQUIPMENT:	<b>None required with normal use.</b>
WORK HYGIENIC PRACTICES:	<b>Wash hands thoroughly with soap and water after using.</b>
EXPOSURE GUIDELINES:	<b>None known.</b>
SECTION VIII NOTES: <b>N/A</b>	

## SECTION IX: TRANSPORTATION INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (DOT):	<b>Material is not regulated via a DOT classification; material poses little or no hazard.</b>
SECTION IX NOTES: <b>N/A</b>	

## SECTION X: DISCLAIMER

The information contained herein is based upon data available at the time of preparation from both our own technical resources and from recognized published references and is, to the best of Timber Edge Products knowledge, reliable. However, no warranty is expressed or implied regarding the accuracy of this data. Timber Edge Products shall not be responsible for the use of this information, or of any product, method or apparatus mentioned. Since we cannot anticipate or control the many different conditions under which this information and our products may be used, each person receiving this information should review these recommendations in the specific context of the intended application and make your own determination of its suitability and completeness for your own use, for the protection of the environment and the health and safety of your employees and other users of this material.